Competency Verification Record UVA Health

Catheter Associated Urinary Tract Infection Prevention-RN

Employee Name:	Employee ID #:	Date:

Successful completion is documented on the Annual Competency Record (ACR) or Department Specific Competency Form using the following competency statement(s):

Competency Statement(s):

- 1. Demonstrate proper insertion of an indwelling urinary catheter
- 2. Demonstrate maintenance of an indwelling urinary catheter
- 3. Demonstrate proper application of sterile gloves

Evaluator(s): RNs are qualified to sign the competency statement on ACR or Department Specific Competency Forms

Method of validation (circle one):

_	
DO	Direct Observation – Return demonstration or evidence of daily work.
T	Test: Written or oral assessments, surveys or worksheets, passing grade on a CBL test.
S	Simulation
С	Case Study/ Scenarios: Create/share a story of a situation then ask questions that capture the nature of the competency that is being referenced.
D	Discussion: Identify questions related to a competency and ask orientee to provide an example of their real-life experiences.
R	Reflection: A debriefing of an actual event or a discussion of a hypothetical situation.
QI	Quality Improvement Monitoring: Audits or compliance checks on actual work or documentation to ensure the competency is completed.
N/A	If the specific product or process step is not used in the respective area or by the respective role, then this step is deemed N/A.

Note: This Competency Verification Record is **not** a required part of the permanent personnel record. This form is to be used as a guide for competency check off only; **the Annual Competency Record is used to document competency.** (If competency validation occurs away from the unit, this form can be completed by the validator; the signed form can then be presented to the unit NEC or manager as evidence of competency. The Annual Competency Record is then signed indicating that the competency was validated).

Instructions: Bolded steps are required critical elements for competency

Demonstrated Skill	Method of	Evaluator's
Behaviors for Competency (Critical Behaviors in Bold)	Validation	Initials
1. Identify at least 2 indications for insertion of indwelling urinary catheter (IUC) • Monitor urine output in select surgical procedures for up to 48 hours • Monitor urine output in critically ill patients • Monitor temp with induce hypo/normo-thermia protocol • Monitor patient managed by Urology • Perform continuous bladder irrigation for urologic patients; instillation of medications • Manage prolonged immobilization (e.g. unstable spine or pelvic injury) • Provide comfort at the end of life • Manage sacral/perineal wound or incision in incontinent patients • Manage acute urinary retention or obstruction	D	

Name of CVR: Catheter Associated Urinary Tract Infection Prevention-RN; Date of CVR 10/16/2020

Revised: 10/27/2020; 5/2/2022

Competency Verification Record UVA Health

Catheter Associated Urinary Tract Infection Prevention-RN

Demonstrated Skill	Method of	Evaluator's
Behaviors for Competency (Critical Behaviors in Bold)	Validation	Initials
2. State at least 2 contraindications to insertion of an IUC.	D	
• Incontinence (place on toileting routine, change frequently)		
 Prolonged postoperative use 		
Morbid obesity		
 Immobility (Rather manage by turning patient every 2 hours; 		
up in chair)		
Confusion or Dementia		
 Patient, family, and/or physician convenience 		
3. Gather insertion supplies and CAUTI Prevention Critical to Safety	D	
Standard Work		
Standard Work: CAUTI-Critical to Safety-CAUTI Prevention		
(Adult)		
4. Verbalizes the minimum number of personnel required for		
insertion		
a) Two Team Members for ALL catheter insertions except for		
non-obese male patients		
5. Prepare patient for catheter insertion	DO	
a. Explain procedure to patient		
b. Cleanse hands, don clean gloves, cleans the surface		
c. Removes gloves, cleanse hands		
d. Open kit to access aseptic wipes, don clean gloves		
e. Open aseptic wipes. Cleanse perineum:		
o If heavily soiled pre-clean with CHG wipes		
o Female: front to back direction; side/side/middle –		
One wipe per swipe. Start with the opposite, inner		
labia furthest away from the operator; followed by		
the inner labia closest to the operator; then from the		
center, top to bottom)		
o Male: in a circular direction, starting at penis head;		
urinary meatus/urinary meatus/up to glans; One		
revolution per wipe. 6. Insert IUC	DO	
DIDECE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100	
a. DIRECT assistant to hold and support patient as needed.b. REMOVE gloves and CLEANSE hands		
c. OPEN the rest of the kit using sterile technique.		
d. DON sterile gloves- all staff are REQUIRED to		
demonstrate this skill correctly one time		
e. POSITION the rectangle drape between legs of patient		
f. POSITION the fenestrated drape on patient		
g. OPEN the Betadine® (povidone-iodine) and pour over		
swabs. In a Patient with allergy to Betadine® (providone-		
iodine), sterile water should be used.		
h. ATTACH the water filled syringe to the inflation port of the		
catheter		
i. LUBRICATE the catheter and leave in the tray.		

Competency Verification Record UVA Health

Catheter Associated Urinary Tract Infection Prevention-RN

j. Place sterile kit and field as close to patient as possible, ideally between legs k. CLEANSE the patient with the three pre-saturated betadine swabs. (Side, side, middle for females — One swab per swipe. Start with the opposite, inner labia furthest away from the operator; followed by the inner labia closest to the operator; then the center top to bottom); urinary meatus/urinary meatus/urinary meatus/up to glans for males) — One revolution per swab. l. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) — without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around sing the patient is transported: • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine		Demonstrated Skill	Method of	Evaluator's
ideally between legs k. CLEANSE the patient with the three pre-saturated betadine swabs. (Side, side, middle for females — One swab per swipe. Start with the opposite, inner labia furthest away from the operator; followed by the inner labia closest to the operator; then the center top to bottom); urinary meatus/urinary meatus/urinary meatus/up to glans for males) — One revolution per swab. 1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male — upper thigh or lower abdomen; Female — upper thigh) b. POSITION the bag below bladder (waist) — without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe for pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	Beha	viors for Competency (Critical Behaviors in Bold)	Validation	Initials
k. CLEANSE the patient with the three pre-saturated betadine swabs. (Side, side, middle for females — One swab per swipe. Start with the opposite, inner labia furthest away from the operator; followed by the inner labia closest to the operator; then the center top to bottom); urinary meatus/urinary meatus/urinary meatus/up to glans for males) — One revolution per swab. 1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) — without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work sOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be clean and used exclusively for urine	j. Pl	ace sterile kit and field as close to patient as possible,		
swabs. (Side, side, middle for females — One swab per swipe. Start with the opposite, inner labia furthest away from the operator; followed by the inner labia closest to the operator; then the center top to bottom); urinary meatus/urinary meatus/up to glans for males) — One revolution per swab. 1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) — without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	id	eally between legs		
swipe. Start with the opposite, inner labia furthest away from the operator; followed by the inner labia closest to the operator; then the center top to bottom); urinary meatus/urinary meatus/up to glans for males) – One revolution per swab. 1. INSERT the catheter. 1. INSERT the catheter. 2. Men urine is visible insert the catheter 2 more inches for adult females and to the hub in males. 3. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until eatheter balloon is inflated using non-sterile hand. 3. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected. 4. Secure device and position for optimal drainage 4. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) 5. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf 6. Front to back cleansing for females 6. 1 CHG wipe for around and down catheter 6. 1 CHG wipe for around and down catheter 6. 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC 6. Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transporting patient 6. Collection container should be clean and used exclusively for urine	k. C	LEANSE the patient with the three pre-saturated betadine		
from the operator; followed by the inner labia closest to the operator; then the center top to bottom); urinary meatus/urinary meatus/urinary meatus/up to glans for males) – One revolution per swab. 1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work sop-cHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	sv	vabs. (Side, side, middle <u>for females</u> – One swab per		
meatus/urinary meatus/up to glans for males) – One revolution per swab. 1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transportted: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
meatus/urinary meatus/up to glans for males) – One revolution per swab. 1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	fre	om the operator; followed by the inner labia closest to the		
revolution per swab. 1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	op	perator; then the center top to bottom); urinary		
1. INSERT the catheter. m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male − upper thigh) b. POSITION the bag below bladder (waist) − without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	m	eatus/urinary meatus/up to glans for males) – One		
m. When urine is visible insert the catheter 2 more inches for adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
adult females and to the hub in males. n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
n. INFLATE balloon using amount indicated on catheter. Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	m. W	Then urine is visible insert the catheter 2 more inches for		
Keep sterile hand on the sterile catheter until catheter balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	ac	lult females and to the hub in males.		
balloon is inflated using non-sterile hand. o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
o. REMOVE syringe from the catheter, keeping the plunger depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
depressed until syringe is disconnected 7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
7. Secure device and position for optimal drainage a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
a. ATTACH StatLock® or securement device to catheter and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	de	epressed until syringe is disconnected		
and place on patient (Male – upper thigh or lower abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	7. Secure de	vice and position for optimal drainage	DO	
abdomen; Female – upper thigh) b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
b. POSITION the bag below bladder (waist) – without dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	ar	nd place on patient (Male – upper thigh or lower		
dependent loops DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
DEMONSTRATE: CHG bathing treatment/perineal care using standard work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
work SOP-CHG-bathing-treatment-102121 (1).pdf • Front to back cleansing for females • 1 CHG wipe for around and down catheter • 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine				
 Front to back cleansing for females 1 CHG wipe for around and down catheter 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: D Drainage bag should be emptied before transporting patient Collection container should be clean and used exclusively for urine 	DEMONSTRATE	E: CHG bathing treatment/perineal care using standard	DO	
 1 CHG wipe for around and down catheter 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: Drainage bag should be emptied before transporting patient Collection container should be clean and used exclusively for urine 	work SOP-CHG-ba	thing-treatment-102121 (1).pdf		
 1 CHG wipe down tubing to drainage bag Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: Drainage bag should be emptied before transporting patient Collection container should be clean and used exclusively for urine 	• Front to be	ack cleansing for females		
Verbalize how often pericare or CHG bathing treatment is performed on a patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	• 1 CHG wi	ipe for around and down catheter		
patient with a IUC • Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	• 1 CHG wi	ipe down tubing to drainage bag		
 Pericare every 24 hours, with CHG bath or when soiled Verbalize management of IUC when patient is transported: Drainage bag should be emptied before transporting patient Collection container should be clean and used exclusively for urine 				
Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	patient with a IUC			
Verbalize management of IUC when patient is transported: • Drainage bag should be emptied before transporting patient • Collection container should be clean and used exclusively for urine	Pericare e	very 24 hours, with CHG bath or when soiled		
 Drainage bag should be emptied before transporting patient Collection container should be clean and used exclusively for urine 			D	
Collection container should be clean and used exclusively for urine	_	* *		
a. Container should be discarded when routine rinsing does not		ontainer should be discarded when routine rinsing does not		
adequately clean it		-		
When emptying urinary drainage bag, do not allow spigot to touch		- ·		
inside of collection container				
Keep drainage bag below bladder when moving the patient				

Critical Elements:

References:

Nursing Policy: Indwelling Urinary Catheter Insertion and Maintenance Standard Work: CAUTI-Critical to Safety-CAUTI Prevention (Adult)

Competency Verification Record UVA Health Catheter Associated Urinary Tract Infection Prevention-RN

Lippincott Procedures: Indwelling urinary catheter insertion, male Lippincott Procedures: Indwelling urinary catheter insertion, female Lippincott Procedures: Indwelling urinary catheter removal

Lippincott Procedures: Indwelling urinary catheter care and management

Competency Verified by:			
		Date:	
Evaluator's Name (printed)	Evaluator's signature		